

anti- ABCF1 antibody

Product Information

Catalog No.:	FNab00040
Size:	100µg
Form:	liquid
Purification:	Immunogen affinity purified
Purity:	≥95% as determined by SDS-PAGE
Host:	Rabbit
Clonality:	polyclonal
Clone ID:	None
IsoType:	IgG
Storage:	PBS with 0.02% sodium azide and 50% glycerol pH 7.3, -20°C for 12 months (Avoid repeated freeze / thaw cycles.)

Background

Isoform 2 is required for efficient Cap-and IRES-mediated mRNA translation initiation. Isoform 2 is not involved in the ribosome biogenesis.

Immunogen information

Immunogen:	ATP-binding cassette, sub-family F(GCN20), member 1
Synonyms:	ABC27, ABC50, ABCF1, ATP binding cassette 50
Observed MW:	95 kDa
UniprotID :	Q8NE71

Application

Reactivity:	Human, Mouse, Rat
Tested Application:	ELISA, WB, IP
Recommended dilution:	WB: 1:500-1:5000; IP: 1:200-1:2000; IF: 1:20-1:200
Image:	


Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve.East Lake High-Tech Development Zone.Wuhan, Hubei, China(430206)


Tel : (0086)027-87384275

Fax: (0086)027-87800889 www.fn-test.com

IP Result of anti-ABCF1 (IP:FNab00040, 4ug;
Detection:FNab00040 1:500) with K-562 cells
lysate 1200ug.



K-562 cells were subjected to SDS PAGE
followed by western blot with FNb00040(ABCF1
antibody) at dilution of 1:1500



Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 GaoxinAve. East Lake High-Tech Development Zone. Wuhan, Hubei, China(430206)

Tel : (0086)027-87384275

Fax: (0086)027-87800889 www.fn-test.com