

## **Recombinant Human WLS**

| Catalogue No.:     | P0686  |
|--------------------|--|
| Synonyms:          | C1orf139, DKFZp686I0788, Evenness interrupted, Drosophila, homolg of,          |
|                    | EVI, FLJ23091, G protein coupled receptor 177, GPR 177, Integral               |
|                    | membrane protein GPR177, MGC131760, MGC14878, mig-14, MRP,                     |
|                    | Protein evenness interrupted homolog, Protein wntless homolog                  |
| Species:           | Human  |
| Uniprot ID:        | Q5T9L3   |
| Expression Region: | 43-234   |
| Host:              | E.Coli   |
| Tags:              | N-terminal His-IF2DI Tag   |
| Molecular Weight:  | 43.1 KDa   |
| Purity:            | Greater than 95% by SDS-PAGE gel analyses                                      |
| Formulation:       | Lyophilized from a 0.2 $\mu m$ filtered solution in 10 mM Hepes, 500 mM NaCl   |
|                    | with 5% trehalose and 0.06% proclin, pH7.4                                     |
| Reconstitution:    | Centrifuge the vial at 10,000 rpm for 1 minute, reconstitute at 200 $\mu$ g/ml |
|                    | in sterile distilled water   |
| Storage:           | -20°C for 12 months as lyophilized; 2-8°C for 1 month under sterile            |
|                    | conditions after reconstitution  |

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave.East Lake High-Tech Development Zone.Wuhan, Hubei,<br/>China (430206)Tel: (0086)027-87384275Fax: (0086)027-87800889www.fn-test.com

## **FineTest Proteins**



## Image:

KDa 100 — 70 — 55 — 40 — 35 — 25 — 15 — 10 —

Safety note:This product is intended for research and manufacturing uses only. It is not<br/>a diagnostic device. Product degradation will result from multiple<br/>freeze/thaw cycles. It is suggested that the antigen be stored in use size<br/>aliquots and thawed just prior to use. This material has been inactivated,<br/>however as with all biological materials, it should be handled as potentially<br/>infectious. The user assumes all responsibility for care, custody and control<br/>of the material, including its disposal, in accordance with all regulations.

## Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave.East Lake High-Tech Development Zone.Wuhan, Hubei,<br/>China (430206)Tel: (0086)027-87384275Fax: (0086)027-87800889www.fn-test.com