

Recombinant Human IDH1

Catalogue No.: P0395

Synonyms: Cytosolic NADP-isocitrate dehydrogenase, EC 1.1.1.42, IDCD, IDH,

IDH1, IDP, IDPC, isocitrate dehydrogenase [NADP] cytoplasmic,

isocitrate dehydrogenase 1 (NADP+), soluble, Isocitrate Dehydrogenase

1, NADP(+)-specific ICDH, NADP-dependent isocitrate dehydrogenase,

cytosolic, NADP-dependent isocitrate dehydrogenase, peroxisomal,

Oxalosuccinate decarboxylase, PICD

Species: Human

Uniprot ID: 075874

Expression Region: 341-414

Source: E.Coli

Tags: IF2DI tag

Molecular Weight: 28.9 KDa

Purity: Greater than 95% by SDS-PAGE gel analyses

Formulation: Lyophilized from a 0.2um filtered solution in PBS with 5% trehalose, pH7.4

Reconstitution: Sterile distilled water

Storage: -20°C for 12 months as lyophilized; 2-8°C for 1 month under sterile

conditions after reconstitution

Wuhan Fine Biotech Co., Ltd.


B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel: (0086)027-87384275 Fax: (0086)027-87800889 **www.fn-test.com**

FineTest Protein



Image:



Safety note:

This product is intended for research and manufacturing uses only. It is not a diagnostic device. Product degradation will result from multiple freeze/thaw cycles. It is suggested that the antigen be stored in use size aliquots and thawed just prior to use. This material has been inactivated, however as with all biological materials, it should be handled as potentially infectious. The user assumes all responsibility for care, custody and control of the material, including its disposal, in accordance with all regulations.