

Recombinant Human PGAM1

Catalogue No.: P0746

Synonyms: BPG dependent PGAM 1, BPG dependent PGAM1, BPG-dependent PGAM 1,

OTTHUMP00000059414, PGAM 1, PGAM A, PGAM B, PGAM-B, PGAM1,

PGAM1_HUMAN, PGAMA, PGAMB, Phosphoglycerate mutase 1,

Phosphoglycerate mutase 1 brain, Phosphoglycerate mutase A,

Phosphoglycerate mutase A nonmuscle form, Phosphoglycerate mutase

isozyme B

Species: Human

Uniprot ID: P18669

Expression Region: 79-154

Host: E.Coli

Tags: N-terminal His-IF2DI Tag

Molecular Weight: 29.4 KDa

Purity: Greater than 95% by SDS-PAGE gel analyses

Formulation: Lyophilized from a 0.2 μm filtered solution in 10 mM Hepes, 500 mM NaCl

with 5% trehalose and 0.06% proclin, pH7.4

Reconstitution: Centrifuge the vial at 10,000 rpm for 1 minute, reconstitute at 200 μg/ml

in sterile distilled water

Storage: -20°C for 12 months as lyophilized; 2-8°C for 1 month under sterile

Wuhan Fine Biotech Co., Ltd.

B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel: (0086)027-87384275 Fax: (0086)027-87800889 **www.fn-test.com**

FineTest Proteins



conditions after reconstitution


B9 Bld, High-Tech Medical Devices Park, No. 818 Gaoxin Ave. East Lake High-Tech Development Zone. Wuhan, Hubei, China (430206)

Tel: (0086)027-87384275 Fax: (0086)027-87800889 **www.fn-test.com**

FineTest Proteins







Safety note:

This product is intended for research and manufacturing uses only. It is not a diagnostic device. Product degradation will result from multiple freeze/thaw cycles. It is suggested that the antigen be stored in use size aliquots and thawed just prior to use. This material has been inactivated, however as with all biological materials, it should be handled as potentially infectious. The user assumes all responsibility for care, custody and control of the material, including its disposal, in accordance with all regulations.